



ELETRICA MILLY
di Stefano Callori



HERON
INSTRUMENTS INC.
Groundwater Monitoring

Interface - Oil / Water Level Meter

TIPO	Descrizione	PREZZO
INTERF020	Interface (Sm.OIL Oil / Water Interface Meter) 20 Metri CSA	
INTERF030	Interface (H.OIL Oil / Water Level Meter) 30 Metri CSA	
INTERF060	Interface (H.OIL Oil / Water Level Meter) 60 Metri CSA	
INTERF100	Interface (H.OIL Oil / Water Level Meter) 100 Metri CSA	
INTERF150	Interface (H.OIL Oil / Water Level Meter) 150 Metri CSA	

Nota: Tutte Le Interface Sono Dotate Del Sistema Spegnimento Automatico Dopo 8 Minuti Dalla Sua Attività.



Sm. OIL

H. OIL





HERON
INSTRUMENTS INC.
 Groundwater Monitoring

Freatimetro - Water Level Meter

TIPO	Descrizione	PREZZO
DIPPER-T030	Freatimetro (Water Level Meter) 30 Metri	
DIPPER-T045	Freatimetro (Water Level Meter) 45 Metri	
DIPPER-T060	Freatimetro (Water Level Meter) 60 Metri	
DIPPER-T100	Freatimetro (Water Level Meter) 100 Metri	
DIPPER-T150	Freatimetro (Water Level Meter) 150 Metri	
DIPPER-T200	Freatimetro (Water Level Meter) 200 Metri	
DIPPER-CAS	Indicatore Tubazione Metallica (Well Casing Indicator Probe)	
DIPPER-DEP	Indicatore Fondo Foro (Well Depth Indicator Probe)	

DIPPER-T



DIPPER-CAS



DIPPER-DEP



HERON
INSTRUMENTS INC.
Groundwater Monitoring

Multiparametrica - Conductivity Plus
"Conductivity & Temperature Meter"

TIPO	Descrizione	PREZZO
MULTIP030	Multiparametrica (Conductivity Plus) 30 Metri	
MULTIP045	Multiparametrica (Conductivity Plus) 45 Metri	
MULTIP060	Multiparametrica (Conductivity Plus) 60 Metri	
MULTIP100	Multiparametrica (Conductivity Plus) 100 Metri	
MULTIP150	Multiparametrica (Conductivity Plus) 150 Metri	
MULTIP200	Multiparametrica (Conductivity Plus) 200 Metri	
MULTIP300	Multiparametrica (Conductivity Plus) 300 Metri	



MULTIP